



50CS

Designed by Georg Nissen her clean lines, sophisticated rig with ample sail area and careful weight saving make the 50CS an extremely easy yacht for a couple to handle while guaranteeing optimal trimming possibilities and high average speeds in all conditions. Once onboard, you'll immediately notice the spacious and totally clean deck area with wide gangways and the halyards led below deck. In addition, the balanced spade rudder and the smaller foretriangle ensure an extremely manoeuvrable yacht that can tack easily and quickly. The ultra-spacious and well sheltered cockpit, with its fixed cockpit table, is another highlight.




Perhaps the greatest surprise in the interior is the finer details such as the subtle storage space for the entrance hatches, the extending bar and the enormous storage space under the seating. And we certainly mustn't forget the large and easily accessible technical room, with its array of built-in equipment.

50CS

SPECIFICATIONS

Length	14.99 m	49'18"
Length waterline	13.13 m	43'08"
Maximum beam	4.58 m	15'03"
Displacement	17,500 kg	38,580 lbs
Draft bulb keel	2.15 m	7'05"
Ballast bulb keel	6,100 kg	13,445 lbs
Mast height abovewaterline	22.80 m	74'8"
Mainsail	67 m2	723 ft2
Genoa	58 m2	616 ft2
Fuel tank	600 ltr.	132 imp. gal.
Water tank	720 ltr.	158 imp. gal.
Engine, Yanmar	81 kW	110 hp




See for more options the specifications brochure or our website



50CS

POLAR PERFORMANCE DIAGRAM



STABILITY CURVE

